




Rombini



Rombini Triangle Extra Small Matt Red.

✦ exclusive by anta Building Material Supplier ✦ any inquiry, please contact us at 2180 6950 or info@antahk.com.



Wall: Rombini Triangle Small Glossy Blanc. Floor: Pico Down Natural Argile.

✦ exclusive by anta Building Material Supplier ✦ any inquiry, please contact us at 2180 6950 or info@antahk.com.



Wall: Rombini Triangle Large Matt Blue. Floor: Rombini Losange Blue.



Wall: Rombini Triangle Large Glossy Vert. Floor: Pico Down Natural Argile.

✦ exclusive by anta Building Material Supplier ✦ any inquiry, please contact us at 2180 6950 or info@antahk.com.



Design by Ronan & Erwan Bouroullec
Photography by Studio Bouroullec

Wall: Rombini Triangle Extra Small Matt Red.
Floor: Pico Down Natural Argile.

Mutina

✦ exclusive by anta Building Material Supplier ✦ any inquiry, please contact us at 2180 6950 or info@antahk.com.



Rombini

Rombini è un percorso fatto di vibrazione ceramica. La collezione presenta due diversi moduli dalla grande forza cromatica, che possono essere combinati tra loro donando agli ambienti un'estetica dal gusto architettonico: Losange, che richiama un mosaico contemporaneo e può essere utilizzato sia a pavimento che a rivestimento, e Triangle, elemento a rilievo pensato specificamente come rivestimento.

In occasione della riedizione, alle varianti Large e Small già esistenti del modulo Triangle, si aggiunge un nuovo formato Extra Small nelle dimensioni 2x31.5 cm e la nuova finitura Glossy nei colori Blanc, Gris, Rose, Vert e Brun, declinata su tutti gli elementi in gamma. L'adozione della tecnica di produzione in bicottura tradizionale ha permesso di esaltare la ricchezza delle superfici, ricoperte con uno smalto trasparente, lucido e brillante. In particolare, le varianti Vert e Brun sono realizzate attraverso l'applicazione di uno smalto reagente, tipico delle realizzazioni artigianali, che ha garantito una resa del colore eccezionale.


Rombini is a journey made of ceramic vibration. The collection presents two different modules of great chromatic strength, that can be combined to give the interiors an architectural aesthetic: Losange, which recalls a contemporary mosaic and can be used on both floors and walls, and Triangle, a three-dimensional element specifically developed for walls. On the occasion of the new edition, the already existing variants Triangle Large and Small are joined by the new Extra Small format in the size 2x31.5 cm, as well as by a new Glossy finish in the colours Blanc, Gris, Rose, Vert and Brun, declined on the entire range. Using the traditional double-firing production technique allowed to enhance the preciousness of surfaces, coated with a transparent, polished and bright glaze. Especially, the shades Vert and Brun are obtained by applying a reacting enamel typical of handcrafted pieces, that guaranteed an exceptional colour rendering.

General information

collection	Rombini
design	Ronan & Erwan Bouroullec, 2015, 2021
production	Industrial + Artisanal
material	LOSANGE: double charge porcelain. TRIANGLE: glazed pressed body.
thickness	TRIANGLE EXTRA SMALL: 16 mm TRIANGLE SMALL, TRIANGLE LARGE: 22 mm LOSANGE: 4,7 mm
nominal sizes	TRIANGLE EXTRA SMALL: 8 pcs 31,5-2-1,6 (12".1"-0,6"), on net 18x31,5 (7".12") TRIANGLE SMALL: 5 pcs 31,5-3,5-2,2 cm (12".1"-1"), on net 18,6-31,5 cm (7".12") TRIANGLE LARGE: 3 pcs 31,5-6-2,2 cm (12".2"-1"), on net 18,6-31,5 cm (7".12") LOSANGE: 27,5-25,7 cm (11".10")
specification	LOSANGE: – 4 base color Grey, Blue, Green and Red – 4 tone sur tone grout – 1 base color White – 1 tone sur tone grout + 4 grouts matching the 4 base colors With Losange, the shape of the rhombus becomes bigger and turns into a chip of a mosaic. Made of double charge porcelain stoneware, each piece is installed on 27,5x25,7 cm sheets. The chromatic range results to be deep and intense, thanks to the matt surface which gives a natural character to the product. Even in this case the element is available in two versions, through the usage of matching or with contrasting grout, for a stronger vibration. TRIANGLE: – 3 shapes: Extra Small, Small and Large – 5 Matt colors: White, Grey, Red, Green, Blue – 3 Glossy colors: Blanc, Gris, Rose – 2 Glossy colors with craquelé glaze: Vert and Brun With Triangle, the shape of the rhombus is interpreted in its three-dimensional shape, in order to create games of lights and shadow on the surface: the elements, realized in Large, Small and Extra Small versions, seem to arise from the floor and to carry on the wall covering. Triangle is obtain by press in special 3D mold, then glazed and assembled on net. This allow to use Triangle also on concave or convex curved surfaces.
use	LOSANGE: Floor, wall – indoor, outdoor TRIANGLE: Wall – indoor
complementary pieces	LOSANGE: Raccordo TRIANGLE: Terminal Extra Small, Small and Large in all colors and finishing. Listello in all colors and finishing.
awards	Archiproducts Design Award 2016
patents	Registered design n° 002889055-0019/0024 – date of registration: 03/12/2015
category	Losange UNI EN 14411 App G (BIA group) UGL Triangle BIII UNI EN 14411 GL


Sizes

LOSANGE




27,5·25,7 cm
11"·10"

TRANGLE EXTRA SMALL




8 pcs 31,5·2·1,6
12"·1"·0,6"
on net 18x31,5
7"·12"

TRANGLE SMALL



5 pcs 31,5·3,5·2,2 cm
12"·1"·1"
on net 18,6·31,5 cm
7"·12"

TRANGLE LARGE




3 pcs 31,5·6·2,2 cm
12"·2"·1"
on net 18,6·31,5 cm
7"·12"

complementary pieces

Raccordo Losange - Triangle Small

3,5·4,8 cm
2"·2"

Chips of mosaics with particular sizes to be used as a connector between Losange and Triangle Small. Product sold in bulk. Available in all colours of the collection.



Terminal Extra Small/Small/Large


Extra Small:
26,9· H 1,5· 2,8 cm
11"· H 1"·2"

Small:
25,7· H 1,5· 2,8 cm
10"· H 1"·2"

Large:
24,6· H 1,5· 2,8 cm
10"· H 1"·2"


Closing piece available in all colours of the collection. 1 piece of Terminal Small is modular with 7 pieces of Triangle Small. 1 piece of Terminal Large is modular with 4 pieces of Triangle Large.

Extra Small




section 1 · 1,5
· 2,8 ·

Small



section 1 · 1,5
· 2,8 ·

Large




section 1 · 1,5
· 2,8 ·

Listello di chiusura

8· 31,5· 0,6 cm
3"· 12"·1"

Listello with a glazed edge to be used in the corner as wall closure or as a connector between Triangle (Small and Large) and Losange. Available in all colours of the collection.




Rombini Triangle – Glossy Colors


TRIANGLE EXTRA SMALL




BLANC




GRIS



BRUN



VERT




ROSE


TRIANGLE SMALL




BLANC




GRIS



BRUN



VERT



ROSE

TRIANGLE LARGE



BLANC



GRIS



BRUN




VERT




ROSE

For information about the available grouts, please contact the sales department.




Rombini Triangle – Matt Colors


TRIANGLE EXTRA SMALL



TRIANGLE SMALL



TRIANGLE LARGE



For information about the available grouts, please contact the sales department.




Rombini Triangle Matt

Rombini Losange – Colors



WHITE




GREY



WHITE



BLUE




WHITE




GREEN



WHITE




RED



WHITE

For information about the available grouts, please contact the sales department.



Rombini Losange Blue, White.

Technical features

STANDARD	FEATURES	VALUE REQUIRED	ROMBINI LOSANGE
ISO 10545/3	water absorption	< 0,5%	< 0,5%
ASTM C373		< 0,5%	< 0,5%
ISO 10545/4	breaking strength	Sp<7,5 min 700	in conformity
ISO 10545/6	resistance to deep abrasion	<175 mm3	in conformity
ISO 10545/9	resistance to thermal shock	no visible alteration	resistant
ASTM C484		no samples must show visible defects	unaffected
ISO 10545/12	frost resistance	no visible alteration	resistant
ASTM C1026		unaffected	unaffected
ISO 10545/13	resistance to chemical attacks	no visible alteration	resistant
ASTM C650			unaffected
ISO 10545/14	stains resistance	minimum 3	5
DIN 51130-04	slip resistance	medium values 6÷10° R9 10÷19° R10 19÷27° R11 27÷35° R12 > 35° R13	R10
VOC Emission			available upon request
Declaration of Contents			available upon request
EPD			available upon request
SDS			available upon request
BPD3			available upon request
HPD			available upon request

STANDARD	FEATURES	VALUE REQUIRED	ROMBINI TRIANGLE
ISO 10545/3	water absorption	x >10%	17,0%
ISO 10545/4	breaking strength	Sp>7,5 min 600	in conformity
ISO 10545/9	thermal shock resistance	no alteration	no alteration
ISO 10545/11	crazing resistance	no alteration	no alteration
ISO 10545/13	acids and alkalis resistance	min B	A – B
ISO 10545/14	stains resistance	class 3	class 5
LEED 4.1		–	64% recycled material
VOC Emission			
Declaration of Contents			
SDS			
BPD3			
HPD			

Packing

SIZE	PCS-SQM	PCS-BOX	SQM-BOX	BOX-PAL	KG-BOX	KG-PAL	SQM-PAL
losange 27,5-25,7 cm	14,00	7	0,50	90	5,00	450	45,00
raccordo losange - triangle small 3,5-4,8 cm	–	–	–	–	–	–	–
triangle extra small on net 18-31,5 cm	17,40	11	0,62	63	8,80	554,40	39,06
triangle small on net 18,6-31,5 cm	17	9	0,53	63	11,00	693	33,40
triangle large on net 18,6-31,5 cm	17	9	0,53	63	10,00	630	33,40
terminal extra small	–	10	2,69 ml		3,25		
terminal small	–	10	2,57 ml	–	3,25	–	–
terminal large	–	10	2,46 ml	–	3,25	–	–
listello 8-31,5-0,6 cm	–	–	–	–	–	–	–

