


# Pico Bois



Pico Bois Red Dots, Pico Bois Blue Dots.

✦ exclusive by anta Building Material Supplier ✦ any inquiry, please contact us at 2180 6950 or [info@antahk.com](mailto:info@antahk.com).



Wall: Punto Up Matt White. Floor: Pico Bois Blue Dots.

✦ exclusive by anta Building Material Supplier ✦ any inquiry, please contact us at 2180 6950 or [info@antahk.com](mailto:info@antahk.com).




Pico Bois Blue Dots



Wall: Punto Up Glossy Brun. Floor: Pico Bois Red Dots.

◆ exclusive by anta Building Material Supplier ◆ any inquiry, please contact us at 2180 6950 or [info@antahk.com](mailto:info@antahk.com).




Design by Ronan & Erwan Bouroullec  
Photography by Studio Bouroullec, Delfino Sisto Legnani

Pico Bois Blue Dots

**Mutina**

◆ exclusive by anta Building Material Supplier ◆ any inquiry, please contact us at 2180 6950 or [info@antahk.com](mailto:info@antahk.com).



# Pico Bois

Con Pico Bois, Mutina realizza per la prima volta un pavimento in legno. Un materiale caro a Ronan ed Erwan Bouroullec, spesso utilizzato nelle abitazioni della Bretagna per conferire un senso di calore agli interni. Come suggerisce il nome, si tratta di un'evoluzione di Pico – prima collezione realizzata dai designer e grande classico Mutina – di cui riprende il motivo grafico con puntini declinati nei colori blu e rosso, che anche qui vengono impressi nella materia per esaltare la texture naturale del legno.

I listelli di Pico Bois sono realizzati in rovere europeo nelle dimensioni 7x49 cm, con uno spessore di 14 mm (4 mm di strato nobile e 10 mm di betulla per il supporto) e una microbisellatura che ne esalta le qualità, rendendo la posa più semplice. Il caratteristico pattern "a puntini" viene realizzato imprimendo e verniciando la superficie grezza con monocomponente a base d'acqua, un processo ecologico che garantisce la durabilità del prodotto, senza la necessità di interventi successivi alla posa. In ultimo, i listelli vengono trattati con un innovativo processo di bugnatura, per conferire al legno l'effetto "martellato" che contraddistingue la collezione Pico.

Pico Bois is the first wooden floor realised by Mutina. It's a dear material to Ronan and Erwan Bouroullec, as it is often used in Brittany-based houses to give a sense of warmth to interiors. As the name itself suggests, it's an evolution of Pico – the first collection realised by the designers and a great classic of Mutina – of which it recalls the graphic motif made of blue and red dots, impressed onto the surface so as to enhance the wood texture.


Pico Bois slats are realised in European oak in the size 7x49 cm, with a thickness of 14 mm (4 mm of top layer and 10 mm of birch as a support) and a micro bevel that exalts its quality, making the installation easier. The typical dotted pattern is realised by impressing and glazing the surface with a water-based single component, an ecological process that guarantees durability without the necessity of further interventions. In the end, the modules are rated with an innovative embossing process, recreating the "hammered" effect that distinguishes the Pico collection.

## General information


collection	Pico Bois
design	Ronan & Erwan Bouroullec, 2021
production	Industrial
material	Natural oak wood
thickness	14 mm (4 of top layer and 10 of European birch for substrate)
nominal sizes	7x49 cm (19"- 3")
specification	- 2 textures: Red dots, Blue dots The modules are rated with an innovative embossing process. The painting treatment of the entire strip is made with a water-based single-component.
use	Floor – indoor

# Sizes

PICO BOIS



section



# Colors



RED DOTS



BLUE DOTS

# Technical features

STANDARD	FEATURES	VALUE REQUIRED	PICO BOIS
UNI EN 15185: 2011	taber abrasion		408
UNI CEN/TS 15676:2008	slip resistance		75

PICO BOIS is a noble, high quality parquet (category A) and is 100% FSC and PEFC certified



FSC® N002714  
Il marchio della  
gestione forestale  
responsabile



# Packing

SIZE	PCS-SQM	PCS-BOX	SQM-BOX	BOX-PAL	KG-BOX	KG-PAL	SQM-PAL
7-49 cm	29,15	16	0,55	72,00	4,95	356,40	39,60

